




Taha Impex

Authorized Dealer & Trusted Supplier of
Narrow Fabric Machinery

**NARROW FABRIC
MACHINERY**

www.tahaimpex.com



About Taha Impex

TWO DECADES OF DRIVING TEXTILE INNOVATION

Taha Impex – Trusted Dealer in Narrow Fabric Machinery

Established in 2003 and registered office in Surat, Gujarat – India's textile capital and the "Silk City" – Taha Impex is a trusted authorized dealer and supplier in the textile industry. With over two decades of experience and expertise, we have built a strong reputation for reliability and excellence in the textile machinery sector.

Taha Impex is ISO 9001:2015 Certified Co into manufacturing & Import of Narrow Fabrics Machineries since 2004.

We are Agents of Brand " **JINGYI** " "**HENGHUI**" & "**PRINISH**"

We are supplying High speed Needle looms , Crochet's & Braiding machines.

Also supplying Ancillary Machines like Warping, Finishing, Festooning, Layering & Rolling Machines.



- ◆ Crochet Machines
- ◆ Needle Loom Machines



- ◆ Braiding Machines



- ◆ Needle Loom Machines



- ◆ Ancillary Machines
- ◆ Spare Parts

OUR CERTIFICATIONS

Authorized. Certified. Trusted.

At Taha Impex, we don't just meet expectations – we're officially certified to exceed them. Our credentials reflect our commitment to quality, reliability, and trust across the textile industry.





Crochet Machines

JYC Series Crochet Machine

Optimally and flexibly used in the weaving of various kinds of elastic and non-elastic tapes and etc. Durable, high speed, mute, easy operation, convenient maintenance and etc.



Model	JYC610/B3	JYC762/B3	JYC762/B8	JYC610/B8
Working width	24 inch (610 mm)	30 inch (762 mm)	30 inch (762 mm)	24 inch (610 mm)
Gauge	12/13/14/15/20 Gauge/inch			15/20 Gauge/inch
Speed control	Speed control inverter for choose		Speed control inverter for choose	
Standard device	Finishing product collection 2set Rubber feeding device Auto Stop motion system Warp and weft reed			
Motor	1.5 HP			

JYGJ Series Computerized Crochet Machine

Servo motor control *Standard* Bar

Servo motor control *Optional*

Main rollers: Auto warp sending, Finishing product collection: Rubber feeding roller



Model	JYGJ612/B8	JYGJ612/B11	JYGJ612/B16
Working width	24 inch (609 mm)		
Weft bar	8	11	16
Gauge	15/20 Gauge per inch		
Standard device	Auto weft sending device Speed control inverter Finishing product collection 2set Rubber feeding device Auto Stop motion system Warp and weft reed		


JYG2 Series Crochet machine

Model	JYG2-890/B3
Working width	35inch (890mm)
Gauge	14/15/20gauge/inch
Standard device	Auto weft sending device
	Speed control inverter
	Finishing product collection
	2set Rubber feeding device
	Auto stop motion system
	Warp and weft reed
Motor	1.5 HP



JYDN Series Rashel Crochet Machine

Specializing in the production of horizontal expansion of multi-color garment colortapes Easy to operate and maintain



Model	JYDN768/B2	JYDN768/B6	JYDN768/B8
Working width	30" (768 mm)		
Weft bar	2	6	8
Gauge	18 Gauge/inch		
Standard device	24-position beam creel Speed control inverter Finishing product collection 2set front sending device Auto stop motion system Warp and weft reed		

JYG Series Crochet Machine



Model	JYG612/B3	JYG612/B8	JYG612/B11A
Working width	24 inch (609 mm)		
Weft bar	3	8	11
Gauge	15/20Gauge/inch		
Standard device	Auto weft sending device		
	Speed control inverter		
	Finishing product collection		
	2set Rubber feeding device		
	Auto stop motion system		
	Warp and weft reed		
Motor	1.5 HP		



Needle Loom Machines

JYF5 Series of Needle Looms

Optimally and flexibly used in the weaving of various kinds of elastic and non-elastic tapes. Higher speed, better performance, etc.



Model	12/20	10/27	12/27	8/20	8/30	10/30	8/35	10/35	10/42	6/45	8/45
Output line	12	10	12	8	8	10	8	10	10	6	8
Width of weaving head	20	27	30	20	30	30	35	35	42	45	45
Weft insertion direction	Single roller			Single roller / Double roller for choose							
Number of frame	14-20 according to customer choose										
Weft density	3.5 ~ 36.7 / cm (8.9 ~ 93 / inch)										
Motor	2HP										
Pattern chain cycle	1:8					1:48					

JYF5 Series of Needle Looms

Optimally and flexibly used in the weaving of various kinds of elastic and non-elastic tapes.

Higher speed, better performance and etc

Model	8/50	8/55	4/60	6/60	4/90	2/110	4/110	2/130	2/160	2/210					
Output line	8	8	4	6	4	2	4	2	2	2					
Width of weaving head	50	55	60	60	70	90	110	130	160	210					
Weft insert direction	Single roller / Double roller for choose					Double roller									
Number of frame	14–20 according to customer choose														
Weft density	3.5 ~ 36.7 / cm (8.9 ~ 93 / inch)														
Motor	2HP														



JYNF Series of Needle Looms



Model	8/27	10/27	6/42	6/45	8/42	6/50	8/50	4/65	6/65
Output line	8	10	6	6	8	6	8	4	6
Width of weaving head	27	27	42	45	42	50	50	65	65
Weft device	Single weft / Double weft according to customer requirement								
Number of frame	20								
Weft density	3.5 ~ 36.7/cm (8.9 ~ 93/inch)								
Motor	2 HP								
Pattern chain cycle	1:8	1:8	1:48						



JYFJ Series of Electric Jacquard Needle Looms

Optimally and flexibly used in the weaving of various kinds of elastic and non-elastic jacquard tapes and etc.

Equipped with take-off roller made of rubber or metal on require.

Model	6/50	6/65	6/90	4/90	4/100	2/110	2/130	2/160
Output line	6	6	4	4	4	2	2	2
Width of weaving head	50	65	90	90	100	110	130	160
Weft insertion direction	Double roller							
Number of frame	According to hook number							
Jacquard hooks	128 / 192 / 240 / 320 / 384 / 448 / 512 / 640 / 768 / 864 / 960 / 1056 / more special order							
Weft density	3.5 ~ 36.7/cm (8.9 ~ 93/inch)							
Motor	2HP							
Pattern chain cycle	1:40							


Model	10/27	12/27	8/30	10/30	8/35	10/35	10/42	6/45	8/45	8/50
Output line	10	12	8	10	8	10	10	6	8	8
Width of weaving head	27	30	30	30	35	35	42	45	45	50
Weft insertion direction	Single roller		Single roller / Double roller for choose			Double roller				
Number of frame	According to hook number									
Jacquard hooks	128 / 192 / 240 / 320 / 384 / 448 / 512 / 640 / 768 / 864 / 960 / 1056 / more special order									
Weft density	3.5 ~ 36.7/cm (8.9 ~ 93/inch)									
Motor	2HP									
Pattern chain cycle	1:40									

JYS Series of Hanging Ribbon Narrow Fabric Needle Looms

Optimally and flexibly used in the weaving of various kinds of hanging ribbon narrow fabrics, shroud bands and etc.

Durable, high speed, mute, easy to operation, convenient maintenance and etc.

Model	JYS4/60	JYS4/90	JYS2/110	JYS2/130
Weaving head	4	4	2	2
Width of weaving head	60	90	110	130
Number of frame	8	8 (double shedding)	8	8
Weft density	3.5 ~ 36.7 / cm		1.8 ~ 5 / cm	
Pattern chain cycle	Cam / Chain link: 1:8			



JYFJ Series of Electric Jacquard Needle Looms

Model	8/27	10/27	12/27	6/42	6/45	8/42	10/42	6/50	8/50	4/65	6/65
Output line	8	10	12	6	6	8	10	6	8	4	6
Width of weaving head	27	27	27	42	45	42	42	50	50	65	65
Number of frame	12										
Jacquard hooks	128 / 192 / 240 / 320 / 384 / 448 / 512 / 640 / 768 / 864 / 960 / 1056 / more special order										
Weft density	2.9 ~ 62.4/cm (8.9 ~ 93 / inch)										
Motor	2HP / 3HP										
Pattern chain cycle	1:40										

Contact Us



Office Address :

202, JASH INFINITY, OPP. SANDESH PRESS, NEAR SUB JAIL, KHATODRA,
SURAT-395 002 (GUJ.) INDIA.

Tel. No. +91 261 4827576, **Cell:** +91 98251 61123, +91 97255 52220

Website: www.tahaimpex.com

E-mail: sales@tahaimpex.com, info@tahaimpex.com

